



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/890,907	11/16/2001	Richard F. Fibiger	44114	9488
22515	7590 07/01/2003			
THE DOW CHEMICAL COMPANY			EXAMINER	
	UAL PROPERTY SECTIC ZOSPORT BLVD	)N	BRUENJES, CHRISTOPHER P	
FREEPORT, TX 77541-3257		•	ART UNIT	PAPER NUMBER
			1772	10
			DATE MAILED: 07/01/2003	12

Please find below and/or attached an Office communication concerning this application or proceeding.

	Applicati ı	1 No.	Applicant(s)				
		, ]					
Office Action Summary	09/890,907		FIBIGER ET AL.				
omee Action Cummary	Examiner	D Davisais	Art Unit				
Th MAILING DATE of this communication app		P Bruenjes	1772 orrespondence address				
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no even within the statut will apply and will cause the applic	t, however, may a reply be tim ory minimum of thirty (30) days expire SIX (6) MONTHS from ation to become ABANDONEI	ely filed  will be considered timely.  the mailing date of this communication.  (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on <u>09 N</u>	<i>May 2003</i> .						
2a)☐ This action is <b>FINAL</b> . 2b)⊠ Th	is action is r	on-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>							
4)⊠ Claim(s) <u>1-5</u> is/are pending in the application.							
4a) Of the above claim(s) <u>5</u> is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)☐ Claim(s) is/are rejected.							
7) Claim(s) is/are objected to.	7) Claim(s) is/are objected to.						
8) Claim(s) <u>1-4</u> are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12)☐ The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
<ul> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)		·	/ (PTO-413) Paper No(s) Patent Application (PTO-152)				

## DETAILED ACTION

## Election/Restrictions

1. This application contains claims directed to more than one species of the generic invention. These species are deemed to lack unity of invention because they are not so linked as to form a single general inventive concept under PCT Rule 13.1.

The species are as follows:

- 1) Structural foam polymer
- 2) Multilayer film, sheet, or tube
- 3) Pultrusion structural profile
- 4) Compression molded polymer article
- 5) Strand foamed polymer
- 6) Article formed by SCORIM process

Applicant is required, in reply to this action, to elect a single species to which the claims shall be restricted if no generic claim is finally held to be allowable. The reply must also identify the claims readable on the elected species, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered non-responsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which

Application/Control Number: 09/890,907

Art Unit: 1772

are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

The claims are deemed to correspond to the species listed above in the following manner:

The multiple species listed above all correspond to claims 1-4 as elected in Paper #9, but one species as defined above from the Markush group of claim 1, lines 4-7 must be elected.

2. The species listed above do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, the species lack the same or corresponding special technical features for the following reasons: Claims 1-4 are either obvious over or anticipated by US-5,773,502.

Accordingly, the special technical feature linking the inventions, layers of silicate material, including one layer of silicate material, which would obviously have the same orientation within thirty degrees of itself, does not provide a contribution over the prior art, and no single general inventive concept exists. Therefore, restriction is appropriate.

Art Unit: 1772

3. A telephone call was made to Nemia Damocles on June 27, 2003 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

- 4. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher P Bruenjes whose telephone number is 703-305-3440. The examiner can normally be reached on Monday thru Friday from 8:00am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be

Application/Control Number: 09/890,907

Art Unit: 1772

reached on 703-308-4251. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9310 for regular communications and 703-872-9311 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Christopher P Bruenjes

Examiner

Art Unit 1772

CPB

June 30, 2003

SUPERVISORY PATENT EXAMINER

Page 5